

## I.AM TABLE BASES - Boat Shape



I-1044

Boat Shape Base  
1 or 2 piece top



I-1046

Boat Shape Base  
3 Piece Top

### Dimensions:

Minimum Table Length	1800mm	2400mm
Maximum Table Length	2400/2400 = 4800mm	2400/1800/2400 = 6600mm
Beam Length	To Suit	To Suit
Minimum Table Depth	Ends 800, Centre 1400	Ends 800, Centre 1400
Maximum Table Depth	2100mm	2100mm
Base Height	695mm	695mm

## I.AM TABLE BASES - 600 foot



I-1000

600mm Foot



I-1001

600mm Foot



I-1002

600mm Foot

### Dimensions:

Minimum Table Length	1200mm	1700mm	2300mm
Maximum Table Length	1800mm	2400mm	2700mm
Beam Length	1100mm	1600mm	2200mm
Minimum Table Depth	600mm	600mm	600mm
Maximum Table Depth	900mm	900mm	900mm
Base Height	695mm	695mm	695mm

## I.AM TABLE BASES - Multi-Leg



I-1054  
12 Leg base  
5 Piece Top

### Dimensions:

Minimum Table Length	7500mm
Maximum Table Length	2400/1800/1800/1800/2400=10200mm
Beam Length	To Suit
Minimum Table Depth	1400mm
Maximum Table Depth	2100mm
Base Height	695mm

## I.AM TABLE BASES - Multi-Leg



I-1052  
8 Leg base  
3 Piece Top



I-1053  
10 Leg Base  
4 Piece Top

### Dimensions:

Minimum Table Length	4500mm	6000mm
Maximum Table Length	2400/1800/2400=6600mm	2400/1800/1800/2400=8400mm
Beam Length	To Suit	To Suit
Minimum Table Depth	1400mm	1400mm
Maximum Table Depth	2100mm	2100mm
Base Height	695mm	695mm

## I.AM TABLE BASES - Multi-Leg



I-1050  
4 Leg base  
1 Piece Top



I-1051  
6 Leg Base  
2 Piece Top

### Dimensions:

Minimum Table Length	1800mm	2700mm
Maximum Table Length	2700mm	2400/2400 = 4800mm
Beam Length	To Suit	To Suit
Minimum Table Depth	1150mm	1400mm
Maximum Table Depth	2100mm	2100mm
Base Height	695mm	695mm

## I.AM TABLE BASES - 5 Star



I-1030  
5 Star on Glides



I-1031  
5 Star on Castors



I-1032  
5 Star Gas Lift  
on Castors



I-1033  
5 Star Gas Lift  
on Glides

### Dimensions:

Minimum Table - Round	700mm	700mm	750mm	750mm
Maximum Table - Round	1000mm	1000mm	750mm	750mm
Beam Length	N/A	N/A	N/A	N/A
Minimum Table - Square	700mm	700mm	700mm	700mm
Maximum Table - Square	750mm	750mm	750mm	750mm
Base Height	695mm	695mm	635mm-875mm	575mm-815mm

## I.AM TABLE BASES - Folding with 800 foot



I-1081  
800mm Foot



I-1083  
800mm Foot



I-1085  
800mm Foot



I-1087  
800mm Foot

### Dimensions:

Minimum Table Length	900mm	1180mm	1460mm	1740mm
Maximum Table Length	1200mm	1500mm	1800mm	2100mm
Beam Length	560mm	840mm	1120mm	1400mm
Minimum Table Depth	800mm	800mm	800mm	800mm
Maximum Table Depth	1000mm	1000mm	1000mm	1000mm
Base Height	700mm	700mm	700mm	700mm

## I.AM TABLE BASES - Folding with 600 foot



I-1080  
600mm Foot



I-1082  
600mm Foot



I-1084  
600mm Foot



I-1086  
600mm Foot

### Dimensions:

Minimum Table Length	850mm	1130mm	1410mm	1690mm
Maximum Table Length	1200mm	1500mm	1800mm	2100mm
Beam Length	560mm	840mm	1120mm	1400mm
Minimum Table Depth	600mm	600mm	600mm	600mm
Maximum Table Depth	800mm	800mm	800mm	800mm
Base Height	700mm	700mm	700mm	700mm

## I.AM TABLE BASES - Multi-Leg 4 Star



I-1070

Multi-Leg 4 Star on Glides

### Dimensions:

Minimum Table - Round	1400mm
Maximum Table - Round	2100mm
Beam Length	N/A
Minimum Table - Square	1050mm
Maximum Table - Square	1800mm
Base Height	695mm

## I.AM TABLE BASES - 4 Star



I-1020

4 Star on Glides



I-1021

4 Star on Castors



I-1025

4 Star Folding  
on Glides



I-1026

4 Star Folding  
on Castors

### Dimensions:

Minimum Table - Round	1000mm	1000mm	1000mm	1000mm
Maximum Table - Round	1300mm	1300mm	1000mm	1000mm
Beam Length	N/A	N/A	N/A	N/A
Minimum Table - Square	750mm	750mm	750mm	750mm
Maximum Table - Square	1000mm	1000mm	900mm	900mm
Base Height	695mm	695mm	695mm	695mm

## I.AM TABLE BASES - 5 Star Folding



I-1035

5 Star Folding on Glides



I-1036

5 Star Folding on Castors

### Dimensions:

Minimum Table - Round	750mm	750mm
Maximum Table - Round	800mm	800mm
Beam Length	N/A	N/A
Minimum Table - Square	700mm	700mm
Maximum Table - Square	750mm	750mm
Base Height	695mm	695mm